

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by date)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Plastics Warehouse	7/22/2015	North Brunswick	New Jersey	2	0	1	Chlorine, phosgene, hydrogen cyanide	Hundreds		Warehouse	A massive warehouse fire prompted evacuations and significant damage	http://www.nj.com/middlesex/index.ssf/2015/07/north_brunswick_fire_press_conference.html
Dos Rios Water Recycling Plant	7/21/2015	San Antonio	Texas	6	0	0	Sulfur Dioxide	0	San Antonio Water System	Sewage Treatment Facility	Sulfur dioxide was being transferred when a valve malfunctioned	http://www.ksat.com/content/pns/ksat/news/2015/07/21/chemical-spill-reported-at-saws-recycling-plant.html
Sherco Power Plant	7/20/2015	Becker	Minnesota	5	0	0	Coal	0		Power Plant	A fire occurred at the coal storage barn at the Sherco Power Plant	http://www.click2houston.com/news/detail/fire-is-out-at-becker-sherco-nuclear-power-plant-07-21-2015/7258/
Braskem Oyster Creek Plant	7/10/2015	Freeport	Texas	6	0	0	Hydrocarbons	0	Braskem America, INC.	Chemical Plant	Trace amounts of hydrocarbons leaked, but the situation was contained without incident	http://www.click2houston.com/news/possible-chemical-leak-at-dow-chemical-prompts-shelter-in-place-for-residents-of-oyster-creek-near-freeport/34070076
CMC Recycling	6/25/2015	Waco	Texas	6	0	14	Hydrogen Cyanide			Recycling Unit	A fire started after a steel tank that previously held hydrogen cyanide was being cut into scraps	http://www.chron.com/news/texas/article/14-workers-taken-to-waco-hospitals-after-6351036.php
Poet Biorefining Plant	6/21/2015	Glenville	Minnesota	5	0	2	Unknown			Ethanol Producer		http://www.albertatribune.com/2015/06/22/injured-after-explosion-at-ethanol-plant/
Antioch's Prewett Family Water Park	6/18/2015	Antioch	California	9	0	34	Sodium Hypochlorite	The pool was closed			At a water park, 34 children became sickened in the water which had a high volume of chlorine, but not enough to cause the symptoms of vomiting	http://abc7news.com/news/34-children-sickened-at-antioch-water-park-cause-unknown/793361/
Olin Chlor Alkali Products Division Plant	6/17/2015	Charleston	Tennessee	4	0	0	Chlorine	Hiwassee River Traffic was shut down for a brief period	Olin Corporation	Chlorine Product Producer	Chlorine spilled into the Hiwassee River near the plant	http://clevelandbanner.com/stories/bulletin-chlorine-spill-reported-nearolin-plant.11510
Wescon Plastics	6/17/2015	Wichita	Kansas	7	0	7	Chlorine	0		Plastics-making Facility	A part of a machine used to make PVC pipes over-pressurized and blew apart resulting in a chlorine gas leak	http://www.washingtontimes.com/news/2015/jun/18/2-in-hospital-after-explosion-at-wichita-plastics/
Commercial Metal Company	6/17/2015	Odessa	Texas	6	0	0	Propylene Oxygen				Propylene oxygen was released by a hose and a fire ensued	http://cbs7.com/multimedia/article_42491258-151d-11e5-a764-b33c12ed6790.html
NA Industries	6/17/2015	Chattanooga	Tennessee	4	0	5	Maleic Anhydride			Detergent Producer	A ruptured pipe in a valve system carrying Maleic Anhydride injured 5 firefighters after inhaling the chemical	http://www.newschannel9.com/news/top-stories/stories/five-chattanooga-firefighters-treated-inhaling-chemical-during-fire-call-18017.shtml
Koch Foods	6/16/2015	Chicago	Illinois	5	0	3	Ammonia Hydroxyl			Poultry Produce Supplier	An ammonia leak occurred injuring 3	http://wgntv.com/2015/06/16/3-hurt-in-ammonia-leak-on-northwest-side/
Andersen Eagle	6/16/2015	Dubuque	Iowa	5	0	0	Acetone			Paint warehouse	It is possible that static electricity started a fire to two 50-gallon barrels of acetone	http://www.thonline.com/news/tri-state/article_23d591af-bc67-50f1-8c58-14b767e046b6.html
UTC Aerospace Systems	6/16/2015	Windsor Locks	Connecticut	1	0	1	Ammonia Hydroxyl	15	UTC Aerospace	Aerospace Manufacturer	An ammonia spill of less than one gallon occurred	http://www.courant.com/breaking-news/hc-windsor-locks-hamilton-sundstrand-chemical-spill-0617-20150616-story.html
USA Metal Recycling	6/15/2015	Neosho	Missouri	7	1	1					Two employees were handling empty aluminum shell casings for recycling, but one of them was an explosive device that exploded	http://www.news-leader.com/story/news/local/ozarks/2015/06/15/explosive-device-kills-one-neosho-recycling-center/71270706/
Coca-Cola Bottling Plant	6/15/2015	Speedway	Indiana	5	0	0	Ammonia	0	Coca Cola	Bottling Facility	ammonia spilled or leaked from its container, but the situation was contained without incident	http://www.wbiv.com/state/archive/2015/06/ammonia-spill-at-coca-cola-bottling-plant.php
North Charleston Boeing Plant	6/11/2015	North Charleston	South Carolina	4	0	0	Nitrogen	0	Boeing	Commercial Airplane Maker	An underground nitrogen line ruptured at the North Charleston Boeing Plant leaving a crater behind that was wide enough to drive a car through	http://www.postandcourier.com/article/20150611/PC16/150619887/nitrogen-line-failure-blows-out-crater-at-north-charleston-boeing-plant
Pennex Aluminum	6/11/2015	Wellsville	Pennsylvania	3	0	0	Alluminum products		Metal Exchange Corp	aluminum products producer		http://www.yorkdispatch.com/ci_28294383/fire-reported-at-industrial-facility-wellsville
Miller Chemical	6/8/2015	Hanover	Pennsylvania	3	0	0	agriculture fertilizer			Agriculture Fertilizer Producer	An explosion occurred resulting in a 2 alarm fire; the water of the Conewago Creek killing at least 10,000 fish as far away as 15 miles	http://www.wgal.com/news/chemical-plant-burns-near-hanover/33455886
Eastman Chemical Resins	6/7/2015	Jefferson Hills	Pennsylvania	3	0	0				Chemical plant		http://www.chicagotribune.com/news/sns-bc-pa-chemical-plant-fire-20150607-story.html
Holiday Inn Express-Mason City	5/30/2015	Mason City	Iowa	5	0	13	bleach and acid	Those in the hotel			Bleach and acid were mixed accidentally in the laundry room resulting in 13 being injured from inhaling chlorine gas	http://globegazette.com/news/holiday-inn-express-evacuated-after-chemical-hazard/article_edaf30b9-f1cf-5591-b4c5-e1f41e09c67b.html
Lite Metals	5/30/2015	Ravenna	Ohio	5	0	0	Magnisium	0		Manufacturing Plant	Magnisium used for making parts flared and caused the fire	http://www.19actionnews.com/story/29197177/ravenna-magnesium-fire-rages-for-hours

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by date)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Agrium U.S. Inc. - Borger Nitrogen Operations	5/28/2015	Borger	Texas	6	0	10	Ammonia gas leak	0	Agrium U.S. Inc.	Chemical Plant	An ammonia gas leak occurred at a chemical plant injuring 10 workers	http://www.news-journalonline.com/article/20150529/APA/305299987
Red Hill Construction Company	5/28/2015	Santa Ana	California	9	0	0		0		Construction Company	Spontaneous combustion of bundled-up rags soaked in a chemical used to stain wood	http://www.ocregister.com/articles-663484-.html
Liqui-Mark Production Facility	5/27/2015	Hauppauge	New York	2	0	17	Carbon monoxide	None	Liqui-Mark	Pen and marker manufacturer	17 people test positive to carbon monoxide exposure due to leaking through an air conditioner	http://www.adirondackdailyenterprise.com/page/content.detail/id/856812/17-workers-exposed-to-carbon-monoxide-at-Long-Island-factory.html?isap=1&nav=5018
Cottage Grove - 3M Company	5/26/2015	Cottage Grove	Minnesota	5	0	1	Nitric Acid	None		Manufacturer	A 30% solution of nitric acid leaked from a counter in a manufacturing building	http://www.bemidjipioneer.com/news/region/3753773-worker-hospitalized-monitoring-after-3m-chemical-leak-cottage-grove
Lake Cachuma camp site grill	5/26/2015	Lake Cachuma	California	9	0	3	Butane	0			Three women using a camp stove suffered burns after a butane tank from the stove exploded	http://www.keyt.com/news/butane-tank-explosion-injures-3-women-at-cachuma-lake/33222672
Olney camp site grill	5/25/2015	Olney	Maryland	3	0	3	Propane	0			Three members of a family were burned after a propane tank explosion occurred near the site of their grilling	http://www.wjla.com/articles/2015/05/3-hurt-in-propane-tank-explosion-in-olney-114243.html
Goldfish Swim School	5/22/2015	Naperville	Illinois	5	0	9	Chlorine			Swim school	A chlorine leak occurred at a swim school resulting in 9 being hospitalized	http://chicago.cbslocal.com/2015/05/22/nine-hospitalized-after-chlorine-leak-at-naperville-pool/
Grandby Farm	5/21/2015	Granby	Massachusetts	1	0	1	Unkown			Farm	The farm was closed At least two chemicals spilled and mixed together resulting in a reaction	http://wwlp.com/2015/05/21/chlorine-spill-in-granby-hazardous-materials-team-called-in/
Propane Warehouse	5/20/2015	Baltimore	Maryland	3	0	3	Propane			Propane Warehouse	People in the warehouse and Nick's Fish House serious burns in fire at propane warehouse/33125436	http://www.wbalv.com/news/3-suffer-serious-burns-in-fire-at-propane-warehouse/33125436
Auto-dealing shop	5/19/2015	San Jose	California	9	0	0	May contain sulfuric acid			auto-shop	Those in the auto-shop Toxic chemicals spilled out of the building and contaminated runoff water	http://www.nbcbayarea.com/news/local/4-Alarm-Fire-at-Auto-Shop-Sparks-Chemical-Soup-San-Jose-Fire-304241681.html
Oil Well	5/19/2015	Karnes City	Texas	6	0	0	Hydrogen sulfide gas			Oil well	Several nearby homes An oil well exploded allowing hydrogen sulfide gas to escape	http://www.therepublic.com/view/story/546f45e400804b9181dbf00c9e7b679d/TX--Well-Fire
Crude oil tank	5/19/2015	Albany	New York	2	0	2	"crude oil sludge"	2 workers		Oil Containment Tank	Workers were pumping "crude oil sludge" into a containment device to clean a tank when fitting on the containment device failed and product spilled out	http://news10.com/2015/05/19/oil-spill-at-port-of-albany-sends-two-to-the-hospital/
Fresh Express	5/18/2015	Morrow	Georgia	4	0	0	ammonia	400 employees	Fresh Express/ Chiquita, Inc.	Salad manufacturing plant	An ammonia leak occurred	http://www.jacksonprogress-argus.com/news/2015/may/19/no-injuries-illnesses-reported-in-fresh-express/
OmniSource Metal Recycling	5/18/2015	Anderson	South Carolina	4	1	1	Old propane tanks		OmniSource	Recycling Plant	Those in the recycling plant A fire broke out in a recycling plant with old propane tanks	http://www.greenvilleonline.com/story/news/local/2015/05/19/dead-injured-fire-anderson-metal-recycling-plant/27581467/
Philadelphia Floor Store and Centex	5/17/2015	Conshohocken	Pennsylvania	3	0	1	Petroleum based chemicals			Windows Blind Company	Those in the building A fire occurred in a warehouse and petroleum based chemicals enter a storm drain and Plymouth Creek	http://www.firefighternation.com/article/news-2/fire-destroys-pennsylvania-warehouse
Apex High School	5/15/2015	Apex	North Carolina	4	0	1				High School	Those in the school one injured apex high school evacuated after chem lab fire/14647689/	http://www.wral.com/one-injured-apex-high-school-evacuated-after-chem-lab-fire/14647689/
Calpine - Hay Road Energy Center	5/14/2015	Wilmington	Deleware	3	0	0		0	Calpine Mid-Atlantic Generation, LLC	Power Plant	A fire damaged the power plant, but the cause is unknown	http://www.wboc.com/story/29062168/delmarva-power-building-damaged-by-fire
Acton Technologies Inc	5/13/2015	Pittston	Pennsylvania	3	0	1	Acetone		Act	Storage facility	Nearby high school evacuated Plans for 1.4 miles downwind and 500 feet radius A storage building that houses chemicals to make Teflon caught on fire	http://texreg.sos.state.tx.us/public/readtac\$ext.TacPage?si=R&app=9&p_dir=&p_floc=&p_floc=&p_ploc=&p_ploc=&p_g=1&p_tac=&ti=T6&pt=1&ch=3&r=29
EC Phillips and Son Inc., Ketchikan	5/12/2015	Ketchikan	Alaska	10	0	0	ammonia		EC Phillips and Son Inc., Ketchikan	Refrigeration System	An ammonia leak occurred at a facility that houses 39,000 pounds of ammonia, but the situation was stabilized within 45 minutes	http://www.krbd.org/2015/05/13/ammonia-leak-prompts-temporary-evacuation/
USALCO Plant	5/12/2015	Fairfield	Ohio	5	0	0		0	USALCO LLC	Water Treatment	An unknown chemical has caused a small leak	http://www.local12.com/news/features/top-stories/stories/Hazmat-crews-monitor-leak-at-Fairfield-plant-129426.shtml
Yorktown High School	5/11/2015	Arlington	Virginia	3	0	0	Hydrochloric Acid			High School	All in the high school A teacher dropped a 1500mL bottle of hydrochloric acid	http://www.wjla.com/articles/2015/05/yorktown-high-school-evacuated-after-acid-spill-113866.html
Blue Bell Plant	5/10/2015	Broken Arrow	Oklahoma	6	0	0	Ammonia	2 businesses	Blue Bell Creameries, LP	Dairy Manufacturer	Ammonia Leak contained within 30 minutes	http://www.news9.com/story/29025541/businesses-evacuated-in-blue-bell-ice-cream-ammonia-leak
Indian Point Nuclear Power Plant	5/9/2015	Buchanan	New York	2	0	0	Oil	0	Entergy	Nuclear Power Plant	Transformer fire that spilled at least 15,000 gallons of oil into the river	http://7online.com/news/oil-leak-contained-in-hudson-river-after-indian-point-transformer-fire/710359/

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by date)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
TAMKO Building Products Inc.	5/8/2015	Frederick	Maryland	3	0	0	Asphalt	0		Roofing product Manufacturer	A fire resulted in damage to a filtration system and destruction of some firefighters equipment	http://www.firehouse.com/news/11954671/fire-in-frederick-md-asphalt-filtration-system-contaminants-several-firefighter-ppe-sets
Toledo University's Wolfe Hall	5/7/2015	Toledo	Ohio	5	0	0	Those in Wolfe Hall and adjacent Bowman-Oddy Laboratories			University Lab	A chemical reaction occurred inside the building of the campus that houses the biology, chemistry, and pharmacy department	http://www.toledoblade.com/Police-Fire/2015/05/07/Firefighters-investigate-UT-building-for-smoke-haze.html
U.S. Oil and Refining Co.	5/6/2015	Tacoma	Washington	10	0	0	Oil		Trailstone Management Corp	Oil Refinery	One of the tubes that carries crude through a heat source that separates the oil began to leak	http://www.spokesman.com/stories/2015/may/07/fire-at-tacoma-oil-refinery-sends-smoke-to-sky/
Youngstown Waste Water Treatment Plant	5/4/2015	Youngstown	Ohio	5	0	0	Chlorine	Non-essential employees Everyone within a 1,000 yard radius	City of Youngstown	Waste water treatment	Chlorine leaked from a 2,000 gallon tank	http://www.wfmj.com/story/28969465/chlorine-leak-closes-poland-avenue-and-himrod-expressway
Newport News Boat Harbor	5/4/2015	Newport News	Virginia	3	0	0	Some Petroleum Product	0			Oil spill occurred in the Small Boat Harbor	http://wavy.com/2015/05/04/crews-work-to-contain-spill-in-newport-news-harbor/
Whitewater River	5/3/2015	Milton	Indiana	5	0	0	ammonia	0			1,500 gallon-tank of fertilizer fell off a flat-bed trailer into the Whitwater River	http://www.palitem.com/story/news/local/2015/05/04/fertilizer-spill/26888875/
TEK Recycling	5/3/2015	Fairmont City	Illinois	5	0	0		0		Recycling Plant	Building caught on fire	http://www.kmov.com/story/28965197/massive-3-alarm-fire-breaks-out-at-fairmont-city-recycling-plant
Tilcon Plant	5/2/2015	Groton	Connecticut	1	0	0	diesel fuel and tar products	0			The plant caught on fire that grew larger from diesel fuel and tar products	http://www.wfsb.com/story/28961258/crews-battle-overnight-fire-at-groton-asphalt-plant
North American Container	5/2/2015	Rowesville	South Carolina	4	0	0	Gas	0		Bulk Shipping Manufacturer	The building caught fire causing LP gas cylinders to explode and destroy half the building	http://thetandc.com/news/heavy-fire-damages-north-american-container-plant/article_5817c94b-93b9-5354-b991-743b373f456d.html
TFC Plating Inc	5/2/2015	Milwaukie	Oregon	10	0	0	One that is reactive to water	0		Metal-plating Plant	Facility with a chemical that is reactive to water caught on fire	http://www.oregonlive.com/milwaukie/index.ssf/2015/05/fire_breaks_out_in_milwaukie-a.html
Duluth garage	5/1/2015	Duluth	Minnesota	5	0	0	Oxygen and acetylene	0			Oxygen and acetylene tanks caught on fire in a garage	http://kdal610.com/news/articles/2015/may/04/garage-fire-causes-over-50-thousand-dollars-in-damage/
Home Solutions Infusion Therapy	5/1/2015	Hammonton	New Jersey	2	0	At least 10				Medical Company	A chemical leak at a medical company caused about 10 to fall ill	http://www.sftimes.com/health-and-fitness/chemical-leak-at-new-jersey-medical-firm-sickens-at-least-10
Columbus Pallet Recycling	5/1/2015	Columbus	Ohio	5	0	0	propane			Recycling Facility	A fire occurred at a recycling plant destroying propane tanks in the process	http://www.dispatch.com/content/stories/local/2015/05/01/south-side-fire.html
Synalloy Palmer Facility	4/30/2015	Palmer	Texas	6	0	0	speciality chemicals	0	Synalloy Corporation	Fiberglass Tank Fabrication	A fire caused minor damage to the electrical system, overhead cranes, and the structure	http://upstatebizsc.whosonthemove.com/synalloy-announces-fire-damage-at-palmer-unit-plant/
Silver Trail Distillery	4/24/2015	Hardin	Kentucky	4	1	1		0		Moonshine manufacturer	"A catastrophic equipment failure" resulted in the death of one and the injury of another person, likely from a still hurtling 50 feet and bending a ten foot by ten foot sliding steel door	http://www.wpsdlocal6.com/story/29137607/lawsuit-filed-after-silver-trail-distillery-explosion
Alfrebro LLC	4/17/2015	Monroe	Ohio	5	0	1			WILD Flavors	Chemical Plant	Explosion occurred while worker was transferring chemicals between storage containers	http://www.nytimes.com/aponline/2015/04/17/us/ap-us-chemical-explosion-ohio-plant.html?_r=0
GE Appliances-Louisville	4/3/2015	Louisville	Kentucky	4	0	0	None, but a shelter in place occurred		General Electric Company	Manufacturing Facility	A massive fire started due to an unknown cause that destroyed an entire building	http://www.nbcnews.com/news/us-news/six-alarm-fire-burns-louisville-manufacturing-facility-n335141
Renewable Energy Group Bio-Fuels Plant	4/2/2015	Geismar	Louisiana	6	0	2	Biodeisel Fuel	0		Bio-fuels plant	A seal on a hydraulic pump went out and sparked a fire that burned diesel fuel produced there	http://theadvocate.com/news/12009413-125/fire-reported-at-renewable-energy
ExxonMobil Beaumont Chemical Plant	3/30/2015	Beaumont	Texas	6	0	0	Propylene	0	Exxon Mobil Corporation	Chemical Plant	A vapor was released from the propylene line when it combusted	http://www.chron.com/news/article/ExxonMobil-searches-for-cause-of-refinery-fire-6167856.php
Houston Ship Channel	3/10/2015	Houston	Texas	6	0	0	MTBE	0		Ship channel	Two ships collided, resulting in the spill of a flammable chemical	http://www.houstonpublicmedia.org/news/houston-ship-channel-remains-closed-spill-cleanup-to-takedays/
Pepsi Bottling Factory-Mesquite	3/3/2015	Mesquite	Texas	6	0	1	Ammonia	0	Pepsi Americas	Bottling factory	An employee drove a forklift into an ammonia line, resulting in a rupture	http://thescoopblog.dallasnews.com/2015/03/pepsi-plant-in-mesquite-evacuated-worker-hurt-after-ammonia-leak.html/
Capitol Cement Plant	2/24/2015	San Antonio	Texas	6	0	3		None		Cement Plant	An explosion at a coal mill caused burns to 3 workers, but the fire was quickly extinguished by carbon dioxide suppressent	http://www.chron.com/news/local/article/Explosion-at-cement-plant-in-San-Antonio-burns-3-6098965.php
ExxonMobil Refinery	2/18/2015	Torrance	California	9	0	4	Hexavalent Chromium	0	Exxon Mobil Corporation	Oil Refinery	Too much pressure in a piece of equipment caused a large explosion that sent irritating ash, filled with fiberglass and glass wool, into surrounding neighborhoods.	http://www.latimes.com/local/lanow/la-me-ln-exxon-mobil-refinery-blast-20150223-story.html

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by date)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Warsaw Chemical	2/6/2015	Warsaw	Indiana	5	0	0	not determined	50 homes	Warsaw Chemical	Chemical plant	chemical fire caused homes within 1000 ft of plant to be evacuated, cause of fire not determined	http://www.chicagotribune.com/suburbs/post-tribune/news/ct-ptb-warsaw-chemical-fire-st-0208-20150206-story.html
TOTAL Petrochemicals & Refining U.S.A. Inc.	1/29/2015	Port Arthur	Texas	6	0	0		0	Total S.A.	Refinery	A chemical release from the refinery resulted in a 10-minute shelter in place for a nearby elementary school	http://www.chron.com/news/article/Groves-students-ordered-to-shelter-in-place-after-6043354.php
Magnablend, Inc.	1/26/2015	Waxahachie	Texas	6	0	0	Chlorine	The plant was evacuated	Magnablend, Inc.	Chemical-blending plant	A chlorine spill prompted the evacuation of the facility	http://thescoopblog.dallasnews.com/2015/01/waxahachie-chemical-blending-plant-evacuated-after-chlorine-spill.html/
Husky Energy	1/10/2015	Lima	Ohio	5	0		isocrackers	0		oil refinery	An explosion and fire broke out at a power plant	http://www.nytimes.com/reuters/2015/01/10/world/americas/10reuters-refinery-blast-husky-lima.html
Sunoco Nederland Terminal	1/5/2015	Nederland	Texas	6	0	8	Purple K	Those in the facility	Sunoco Inc.	Oil and Natural Gas Refinery	A chemical fire supressor was inadvertently deployed	http://www.chron.com/news/article/Sunoco-incident-hospitalizes-seven-workers-5995528.php
Nashua North High School	12/15/2014	Nashua	New Hampshire	1	0	6	grolleg lump	0		High School	A chemical spill involving grolleg lump occurred in the bathroom and injured 6	http://www.wmur.com/news/crews-called-to-nashua-high-school-for-chemical-spill/30239590
Akzo Nobel Polymer Chemicals LLC - Deer Park	12/9/2014	La Porte	Texas	6	0	1		0	Akzo Nobel Chemicals Inc.	Chemical Plant	A fire occurred at the chemical plant during a maintenance activity that injured 1	http://www.chron.com/houston/article/Small-fire-at-La-Porte-chemical-plant-5945092.php
Santa Clara Waste Water Co.	11/19/2014	Santa Paula	California	9	0	37	Sulfuric acid, an organic peroxide				Vacuum truck exploded, spreading 1200 gallons of a chemical mixture	http://www.nytimes.com/aponline/2014/11/19/us/ap-us-california-chemical-fire.html

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by state)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
EC Phillips and Son Inc., Ketchikan	5/12/2015	Ketchikan	Alaska	10	0	0	ammonia	Plans for 1.4 miles downwind and 500 feet radius	EC Phillips and Son Inc., Ketchikan	Refrigeration System	An ammonia leak occurred at a facility that houses 39,000 pounds of ammonia, but the situation was stabilized within 45 minutes	http://www.krbd.org/2015/05/13/ammonia-leak-prompts-temporary-evacuation/
Antioch's Prewett Family Water Park	6/18/2015	Antioch	California	9	0	34	Sodium Hypochlorite	The pool was closed			At a water park, 34 children became sickened in the water which had a high volume of chlorine, but not enough to cause the symptoms of vomiting	http://abc7news.com/news/34-children-sickened-at-antioch-water-park-cause-unknown/793361/
Red Hill Construction Company	5/28/2015	Santa Ana	California	9	0	0		0		Construction Company	Spontaneous combustion of bundled-up rags soaked in a chemical used to stain wood	http://www.ocregister.com/articles-663484-.html
Lake Cachuma camp site grill	5/26/2015	Lake Cachuma	California	9	0	3	Butane	0			Three women using a camp stove suffered burns after a butane tank from the stove exploded	http://www.keyt.com/news/butane-tank-explosion-injures-3-women-at-cachuma-lake/33222672
Auto-dealing shop	5/19/2015	San Jose	California	9	0	0	May contain sulfuric acid	Those in the auto-shop		auto-shop	Toxic chemicals spilled out of the building and contaminated runoff water	http://www.nbcbayarea.com/news/local/4-Alarm-Fire-at-Auto-Shop-Sparks-Chemical-Soup-San-Jose-Fire-304241681.html
ExxonMobil Refinery	2/18/2015	Torrance	California	9	0	4	Hexavalent Chromium	0	Exxon Mobil Corporation	Oil Refinery	Too much pressure in a piece of equipment caused a large explosion that sent irritating ash, filled with fiberglass and glass wool, into surrounding neighborhoods.	http://www.latimes.com/local/lanow/la-me-ln-exxon-mobil-refinery-blast-20150223-story.html
Santa Clara Waste Water Co.	11/19/2014	Santa Paula	California	9	0	37	Sulfuric acid, an organic peroxide				Vacuum truck exploded, spreading 1200 gallons of a chemical mixture	http://www.nytimes.com/aponline/2014/11/19/us/ap-us-california-chemical-fire.html
UTC Aerospace Systems	6/16/2015	Windsor Locks	Connecticut	1	0	1	Ammonia Hydroxyl	15	UTC Aerospace	Aerospace Manufacturer	An ammonia spill of less than one gallon occurred	http://www.courant.com/breaking-news/hc-windsor-locks-hamilton-sundstrand-chemical-spill-0617-20150616-story.html
Tilcon Plant	5/2/2015	Groton	Connecticut	1	0	0	diesel fuel and tar products	0			The plant caught on fire that grew larger from diesel fuel and tar products	http://www.wfsb.com/story/28961258/crews-battle-overnight-fire-at-groton-asphalt-plant
Calpine - Hay Road Energy Center	5/14/2015	Wilmington	Deleware	3	0	0		0	Calpine Mid-Atlantic Generation, LLC	Power Plant	A fire damaged the power plant, but the cause is unknown	http://www.wboc.com/story/29062168/delmarva-power-building-damaged-by-fire
Fresh Express	5/18/2015	Morrow	Georgia	4	0	0	ammonia	400 employees	Fresh Express/ Chiquita, Inc.	Salad manufacturing plant	An ammonia leak occurred	http://www.jacksonprogress-argus.com/news/2015/may/19/no-injuries-illnesses-reported-in-fresh-express/
Koch Foods	6/16/2015	Chicago	Illinois	5	0	3	Ammonia Hydroxyl			Poultry Produce Supplier	An ammonia leak occurred injuring 3	http://wgntv.com/2015/06/16/3-hurt-in-ammonia-leak-on-northwest-side/
Goldfish Swim School	5/22/2015	Naperville	Illinois	5	0	9	Chlorine	Those in the swim school		Swim school	A chlorine leak occurred at a swim school resulting in 9 being hospitalized	http://chicago.cbslocal.com/2015/05/22/nine-hospitalized-after-chlorine-leak-at-naperville-pool/
TEK Recycling	5/3/2015	Fairmont City	Illinois	5	0	0		0		Recycling Plant	Building caught on fire	http://www.wbiv.com/state/archive/2015/06/ammonia-spill-at-coca-cola-bottling-plant.php
Coca-Cola Bottling Plant	6/15/2015	Speedway	Indiana	5	0	0	Ammonia	0	Coca Cola	Bottling Facility	ammonia spilled or leaked from its container, but the situation was contained without incident	http://www.pal-item.com/story/news/local/2015/05/04/fertilizer-spill/2688875/
Whitewater River	5/3/2015	Milton	Indiana	5	0	0	ammonia	0			1,500 gallon-tank of fertilizer fell off a flat-bed trailer into the Whitwater River	http://www.chicagotribune.com/suburbs/post-tribune/news/ct-ptb-warsaw-chemical-fire-st-0208-20150206-story.html
Warsaw Chemical	2/6/2015	Warsaw	Indiana	5	0	0	not determined	50 homes	Warsaw Chemical	Chemical plant	chemical fire caused homes within 1000 ft of plant to be evacuated, cause of fire not determined	http://www.thonline.com/news/tri-state/article_23d591af-bc67-50f1-8c58-14b767e046b6.html
Andersen Eagle	6/16/2015	Dubuque	Iowa	5	0	0	Acetone			Paint warehouse	It is possible that static electricity started a fire to two 50-gallon barrels of acetone	http://globegazette.com/news/holiday-inn-express-evacuated-after-chemical-hazard/article_e1141e09c67b.html
Holiday Inn Express-Mason City	5/30/2015	Mason City	Iowa	5	0	13	bleach and acid	Those in the hotel			Bleach and acid were mixed accidentally in the laundry room resulting in 13 being injured from inhaling chlorine gas	http://www.washingtontimes.com/news/2015/jun/18/2-in-hospital-after-explosion-at-wichita-plastics-/
Wescon Plastics	6/17/2015	Wichita	Kansas	7	0	7	Chlorine	0		Plastics-making Facility	A part of a machine used to make PVC pipes over-pressurized and blew apart resulting in a chlorine gas leak	http://www.wpsdlocal6.com/story/29137607/lawsuit-filed-after-silver-trail-distillery-explosion
Silver Trail Distillery	4/24/2015	Hardin	Kentucky	4	1	1		0		Moonshine manufacturer	"A catastrophic equipment failure" resulted in the death of one and the injury of another person, likely from a still hurtling 50 feet and bending a ten foot by ten foot sliding steel door	http://www.nbcnews.com/news/us-news/six-alarm-fire-burns-louisville-manufacturing-facility-n335141
GE Appliances-Louisville	4/3/2015	Louisville	Kentucky	4	0	0		None, but a shelter in place occurred	General Electric Company	Manufacturing Facility	A massive fire started due to an unknown cause that destroyed an entire building	http://theadvocate.com/news/12009413-125/fire-reported-at-renewable-energy
Renewable Energy Group Bio-Fuels Plant	4/2/2015	Geismar	Louisiana	6	0	2	Biodeisel Fuel	0		Bio-fuels plant	A seal on a hydraulic pump went out and sparked a fire that burned diesel fuel produced there	

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by state)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Olney camp site grill	5/25/2015	Olney	Maryland	3	0	3	Propane	0			Three members of a family were burned after a propane tank explosion occurred near the site of their grilling	http://www.wjla.com/articles/2015/05/3-hurt-in-propane-tank-explosion-in-olney-114243.html
Propane Warehouse	5/20/2015	Baltimore	Maryland	3	0	3	Propane	People in the warehouse and Nick's Fish House		Propane Warehouse		http://www.wbalv.com/news/3-suffer-serious-burns-in-fire-at-propane-warehouse/33125436
TAMKO Building Products Inc.	5/8/2015	Frederick	Maryland	3	0	0	Asphalt	0		Roofing product Manufacturer	A fire resulted in damage to a filtration system and destruction of some firefighters equipment	http://www.firehouse.com/news/1195467/fire-in-frederick-md-asphalt-filtration-system-contaminants-several-firefighter-ppe-sets
Grandby Farm	5/21/2015	Granby	Massachusetts	1	0	1	Unkown	The farm was closed		Farm	At least two chemicals spilled and mixed together resulting in a reaction	http://www.wlwp.com/2015/05/21/chlorine-spill-in-granby-hazardous-materials-team-called-in/
Sherco Power Plant	7/20/2015	Becker	Minnesota	5	0	0	Coal	0		Power Plant	A fire occurred at the coal storage barn at the Sherco Power Plant	http://www.kvsc.org/news-detail/fire-is-out-at-becker-sherco-nuclear-power-plant-07-21-2015/7258/
Poet Biorefining Plant	6/21/2015	Glenville	Minnesota	5	0	2	Unknown			Ethanol Producer		http://www.albertatribune.com/2015/06/22-injured-after-explosion-at-ethanol-plant/
Cottage Grove - 3M Company	5/26/2015	Cottage Grove	Minnesota	5	0	1	Nitric Acid	None		Manufacturer	A 30% solution of nitric acid leaked from a counter in a manufacturing building	http://www.bemidjipioneer.com/news/region/3753773-worker-hospitalized-monitoring-after-3m-chemical-leak-cottage-grove
Duluth garage	5/1/2015	Duluth	Minnesota	5	0	0	Oxygen and acetylene	0			Oxygen and acetylene tanks caught on fire in a garage	http://kda1610.com/news/articles/2015/may/04/garage-fire-causes-over-50-thousand-dollars-in-damage/
USA Metal Recycling	6/15/2015	Neosho	Missouri	7	1	1					Two employees were handling empty aluminum shell casings for recycling, but one of them was an explosive device that exploded	http://www.news-leader.com/story/news/local/ozarks/2015/06/15/explosive-device-kills-one-neosho-recycling-center/71270706/
Nashua North High School	12/15/2014	Nashua	New Hampshire	1	0	6	grolleg lump	0		High School	A chemical spill involving grolleg lump occurred in the bathroom and injured 6	http://www.wmur.com/news/crews-called-to-nashua-high-school-for-chemical-spill/30239590
Plastics Warehouse	7/22/2015	North Brunswick	New Jersey	2	0	1	Chlorine, phosgene, hydrogen cyanide	Hundreds		Warehouse	A massive warehouse fire prompted evacuations and significant damage	http://www.nj.com/middlesex/index.ssf/2015/07/north_brunswick_fire_press_conference.html
Home Solutions Infusion Therapy	5/1/2015	Hammonton	New Jersey	2	0	At least 10				Medical Company	A chemical leak at a medical company caused about 10 to fall ill	http://www.sftimes.com/health-and-fitness/chemical-leak-at-new-jersey-medical-firm-sickens-at-least-10
Liqui-Mark Production Facility	5/27/2015	Hauptpage	New York	2	0	17	Carbon monoxide	None	Liqui-Mark	Pen and marker manufacturer	17 people test positive to carbon monoxide exposure due to leaking through an air conditioner	http://www.adirondackdailyenterprise.com/page/content.detail/id/856812/17-workers-exposed-to-carbon-monoxide-at-Long-Island-factory.html?isap=1&nav=5018
Crude oil tank	5/19/2015	Albany	New York	2	0	2	"crude oil sludge"	2 workers		Oil Containment Tank	Workers were pumping "crude oil sludge" into a containment device to clean a tank when fitting on the containment device failed and product spilled out	http://news10.com/2015/05/19/oil-spill-at-port-of-albany-sends-two-to-the-hospital/
Indian Point Nuclear Power Plant	5/9/2015	Buchanan	New York	2	0	0	Oil	0	Entergy	Nuclear Power Plant	Transformer fire that spilled at least 15,000 gallons of oil into the river	http://7online.com/news/oil-leak-contained-in-hudson-river-after-indian-point-transformer-fire/710359/
Apex High School	5/15/2015	Apex	North Carolina	4	0	1		Those in the school		High School		http://www.wral.com/one-injured-apex-high-evacuated-after-chem-lab-fire/14647689/
Lite Metals	5/30/2015	Ravenna	Ohio	5	0	0	Magnisium	0		Manufacturing Plant	Magnisium used for making parts flared and caused the fire	http://www.19actionnews.com/story/29197177/ravenna-magnesium-fire-rages-for-hours
USALCO Plant	5/12/2015	Fairfield	Ohio	5	0	0		0	USALCO LLC	Water Treatment	An unknown chemical has caused a small leak	http://www.local12.com/news/features/top-stories/stories/Hazmat-crews-monitor-leak-at-Fairfield-plant-129426.shtml
Toledo University's Wolfe Hall	5/7/2015	Toledo	Ohio	5	0	0		Those in Wolfe Hall and adjacent Bowman-Oddy Laboratories		University Lab	A chemical reaction occurred inside the building of the campus that houses the biology, chemistry, and pharmacy department	http://www.toledoblade.com/Police-Fire/2015/05/07/Firefighters-investigate-UT-building-for-smoke-haze.html
Youngstown Waste Water Treatment Plant	5/4/2015	Youngstown	Ohio	5	0	0	Chlorine	Everyone within a 1,000 yard radius	City of Youngstown	Waste water treatment	Chlorine leaked from a 2,000 gallon tank	http://www.wfmj.com/story/28969465/chlorine-leak-closes-poland-avenue-and-himrod-expressway
Columbus Pallet Recycling	5/1/2015	Columbus	Ohio	5	0	0	propane			Recycling Facility	A fire occurred at a recycling plant destroying propane tanks in the process	http://www.dispatch.com/content/stories/local/2015/05/01/south-side-fire.html
Alfbrebro LLC	4/17/2015	Monroe	Ohio	5	0	1			WILD Flavors	Chemical Plant	Explosion occured while worker was transferring chemicals between storage containers	http://www.nytimes.com/aponline/2015/04/17/us/ap-us-chemical-explosion-ohio-plant.html?_r=0

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by state)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Husky Energy	1/10/2015	Lima	Ohio	5	0		isocrackers	0		oil refinery	An explosion and fire broke out at a power plant	http://www.nytimes.com/reuters/2015/01/10/world/americas/10reuters-refinery-blast-husky-lima.html
Blue Bell Plant	5/10/2015	Broken Arrow	Oklahoma	6	0	0	Ammonia	2 businesses	Blue Bell Creameries, LP	Dairy Manufacturer	Ammonia Leak contained within 30 minutes	http://www.news9.com/story/29025541/businesses-evacuated-in-blue-bell-ice-cream-ammonia-leak
TFC Plating Inc	5/2/2015	Milwaukie	Oregon	10	0	0	One that is reactive to water	0		Metal-plating Plant	Facility with a chemical that is reactive to water caught on fire	http://www.oregonlive.com/milwaukie/index.ssf/2015/05/fire_breaks_out_in_milwaukie-a.html
Pennexx Aluminum	6/11/2015	Wellsville	Pennsylvania	3	0	0	Alluminum products	Shelter in place within 1/2 mile of plant	Metal Exchange Corp	aluminum products producer		http://www.yorkdispatch.com/ci_28294383/fire-reported-at-industrial-facility-wellsville
Miller Chemical	6/8/2015	Hanover	Pennsylvania	3	0	0	agriculture fertilizer	Shelter in place within 1 mile of plant		Agriculture Fertilizer Producer	An explosion occurred resulting in a 2 alarm fire; the water of the Conewago Creek killing at least 10,000 fish as far away as 15 miles	http://www.wgal.com/news/chemical-plant-burns-near-hanover/33455886
Eastman Chemical Resins	6/7/2015	Jefferson Hills	Pennsylvania	3	0	0				Chemical plant		http://www.chicagotribune.com/news/sns-bc-pa-chemical-plant-fire-20150607-story.html
Philadelphia Floor Store and Centex	5/17/2015	Conshohocken	Pennsylvania	3	0	1	Petroleum based chemicals	Those in the building		Windows Blind Company	A fire occurred in a warehouse and petroleum based chemicals enter a storm drain and Plymouth Creek	http://www.firefighternation.com/article/news-2/fire-destroys-pennsylvania-warehouse
Acton Technologies Inc	5/13/2015	Pittston	Pennsylvania	3	0	1	Acetone	Nearby high school evacuated	Act	Storage facility	A storage building that houses chemicals to make Teflon caught on fire	http://texreg.sos.state.tx.us/public/readtac\$ext.TacPage?sl=R&app=9&p_dir=&p_floc=&p_floc=&p_ploc=&pg=1&p_tac=&ti=16&pt=1&ch=3&rl=29
North Charleston Boeing Plant	6/11/2015	North Charleston	South Carolina	4	0	0	Nitrogen	0	Boeing	Commercial Airplane Maker	An underground nitrogen line ruptured at the North Charleston Boeing Plant leaving a crater behind that was wide enough to drive a car through	http://www.postandcourier.com/article/20150611/PC16/150619887/nitrogen-line-failure-blows-out-crater-at-north-charleston-boeing-plant
OmniSource Metal Recycling	5/18/2015	Anderson	South Carolina	4	1	1	Old propane tanks	Those in the recycling plant	OmniSource	Recycling Plant	A fire broke out in a recycling plant with old propane tanks	http://www.greenvilleonline.com/story/news/local/2015/05/19/dead-injured-fire-anderson-metal-recycling-plant/27581467/
North American Container	5/2/2015	Rowesville	South Carolina	4	0	0	Gas	0		Bulk Shipping Manufacturer	The building caught fire causing LP gas cylinders to explode and destroy half the building	http://www.thetandd.com/news/heavy-fire-damages-north-american-container-plant/article_5817c94b-93b9-5354-b991-743b373f45ed.html
Olin Chlor Alkali Products Division Plant	6/17/2015	Charleston	Tennessee	4	0	0	Chlorine	Hiwassee River Traffic was shut down for a brief period	Olin Corporation	Chlorine Product Producer	Chlorine spilled into the Hiwassee River near the plant	http://clevelandbanner.com/stories/bulletin-chlorine-spillreported-nearlin-plant,11510
NA Industries	6/17/2015	Chattanooga	Tennessee	4	0	5	Maleic Anhydride			Detergent Producer	A ruptured pipe in a valve system carrying Maleic Anhydride injured 5 firefighters after inhaling the chemical	http://www.newschannel9.com/news/top-stories/stories/five-chattanooga-firefighters-treated-inhaling-chemical-during-fire-call-18017.shtml
Dos Rios Water Recycling Plant	7/21/2015	San Antonio	Texas	6	0	0	Sulfur Dioxide	0	San Antonio Water System	Sewage Treatment Facility	Sulfur dioxide was being transferred when a valve malfunctioned	http://www.ksat.com/content/pns/ksat/news/2015/07/21/chemical-spill-reported-at-saws-recycling-plant.html
Braskem Oyster Creek Plant	7/10/2015	Freeport	Texas	6	0	0	Hydrocarbons	0	Braskem America, INC.	Chemical Plant	Trace amounts of hydrocarbons leaked, but the situation was contained without incident	http://www.click2houston.com/news/possible-chemical-leak-at-dow-chemical-prompts-shelterinplace-for-residents-of-oyster-creek-near-freeport/34070076
CMC Recycling	6/25/2015	Waco	Texas	6	0	14	Hydrogen Cyanide			Recycling Unit	A fire started after a steel tank that previously held hydrogen cyanide was being cut into scraps	http://www.chron.com/news/texas/article/14-workers-taken-to-Waco-hospitals-after-6351036.php
Commercial Metal Company	6/17/2015	Odessa	Texas	6	0	0	Propylene Oxygen				Propylene oxygen was released by a hose and a fire ensued	http://cbs7.com/multimedia/article_42491258-151d-11e5-a764-b33c12ed6790.html
Agrium U.S. Inc.- Borger Nitrogen Operations	5/28/2015	Borger	Texas	6	0	10	Ammonia gas leak	0	Agrium U.S. Inc.	Chemical Plant	An ammonia gas leak occurred at a chemical plant injuring 10 workers	http://www.news-journalonline.com/article/20150529/APA/305299987
Oil Well	5/19/2015	Kames City	Texas	6	0	0	Hydrogen sulfide gas	Several nearby homes		Oil well	An oil well exploded allowing hydrogen sulfide gas to escape	http://www.therepublic.com/view/story/546f45e40804b9181dbf00c9e7b679d/TX--Well-Fire
Synalloy Palmer Facility	4/30/2015	Palmer	Texas	6	0	0	speciality chemicals	0	Synalloy Corporation	Fiberglass Tank Fabrication	A fire caused minor damage to the electrical system, overhead cranes, and the structure	http://upstatebizsc.whosonthemove.com/synalloy-announces-fire-damage-at-palmer-unit-plant/
ExxonMobil Beaumont Chemical Plant	3/30/2015	Beaumont	Texas	6	0	0	Propylene	0	Exxon Mobil Corporation	Chemical Plant	A vapor was released from the propylene line when it combusted	http://www.chron.com/news/article/ExxonMobil-searches-for-cause-of-refinery-fire-6167856.php

Chemical Incident Counter - Incidents since 11/16/2014 (sorted by state)

Facility Name	Incident Date	City	State	EPA Region	Number of Fatalities	Number of Injuries	Chemical(s) involved	Number Evacuated	Parent Company	Facility Type	Brief Description	Link to media report
Houston Ship Channel	3/10/2015	Houston	Texas	6	0	0	MTBE	0		Ship channel	Two ships collided, resulting in the spill of a flammable chemical	http://www.houstonpublicmedia.org/news/houston-ship-channel-remains-closed-spill-cleanup-to-takedays/
Pepsi Bottling Factory-Mesquite	3/3/2015	Mesquite	Texas	6	0	1	Ammonia	0	Pepsi Americas	Bottling factory	An employee drove a forklift into an ammonia line, resulting in a rupture	http://thescoopblog.dallasnews.com/2015/03/pepsi-plant-in-mesquite-evacuated-worker-hurt-after-ammonia-leak.html/
Capitol Cement Plant	2/24/2015	San Antonio	Texas	6	0	3		None		Cement Plant	An explosion at a coal mill caused burns to 3 workers, but the fire was quickly extinguished by carbon dioxide suppressant	http://www.chron.com/news/local/article/Explosion-at-cement-plant-in-San-Antonio-burns-3-6098965.php
TOTAL Petrochemicals & Refining U.S.A. Inc.	1/29/2015	Port Arthur	Texas	6	0	0		0	Total S.A.	Refinery	A chemical release from the refinery resulted in a 10-minute shelter in place for a nearby elementary school	http://www.chron.com/news/article/Groves-students-ordered-to-shelter-in-place-after-6043354.php
Magnablend, Inc.	1/26/2015	Waxahachie	Texas	6	0	0	Chlorine	The plant was evacuated	Magnablend, Inc.	Chemical-blending plant	A chlorine spill prompted the evacuation of the facility	http://thescoopblog.dallasnews.com/2015/01/waxahachie-chemical-blending-plant-evacuated-after-chlorine-spill.html/
Sunoco Nederland Terminal	1/5/2015	Nederland	Texas	6	0	8	Purple K	Those in the facility	Sunoco Inc.	Oil and Natural Gas Refinery	A chemical fire suppressor was inadvertently deployed	http://www.chron.com/news/article/Sunoco-incident-hospitalizes-seven-workers-5995528.php
Akzo Nobel Polymer Chemicals LLC - Deer Park	12/9/2014	La Porte	Texas	6	0	1		0	Akzo Nobel Chemicals Inc.	Chemical Plant	A fire occurred at the chemical plant during a maintenance activity that injured 1	http://www.chron.com/houston/article/Small-fire-at-La-Porte-chemical-plant-5945092.php
Yorktown High School	5/11/2015	Arlington	Virginia	3	0	0	Hydrochloric Acid	All in the high school		High School	A teacher dropped a 1500mL bottle of hydrochloric acid	http://www.wjla.com/articles/2015/05/yorktown-high-school-evacuated-after-acid-spill-113866.html
Newport News Boat Harbor	5/4/2015	Newport News	Virginia	3	0	0	Some Petroleum Product	0			Oil spill occurred in the Small Boat Harbor	http://wavy.com/2015/05/04/crews-work-to-contain-spill-in-newport-news-harbor/
U.S. Oil and Refining Co.	5/6/2015	Tacoma	Washington	10	0	0	Oil	Non-essential employees	Trailstone Management Corp	Oil Refinery	One of the tubes that carries crude through a heat source that separates the oil began to leak	http://www.spokesman.com/stories/2015/may/07/fire-at-tacoma-oil-refinery-sends-smoke-to-sky/